


Pelvic Pain Assessment Form

| Contact Information | | | | | | | | | | | |
|---|---|----------------------------------|---|---|---|--|---|--|--|---|---|
| Name:Phone: Work: Referring Provider's Name and Address: | Birt | h Date | : | | | | Chart | Numl | er: | | |
| Phone: Work: | Hor | ne: | | | | | Cell: | | | | |
| Referring Provider's Name and Address: | | | | | | | | | | | |
| Information About Your Pain Please describe your pain problem (use a separate s | | | | | | | | | | | |
| | | | | | | | | | | | |
| What do you think is causing your pain? | | | | | | | | | | | |
| What do you think is causing your pain? | f your | pain? | □ Yes | | No I | f so, w | hat?_ | | | | |
| How long have you had this pain? years | m | onths | | | | | | | | | |
| How long have you had this pain? years For each of the symptoms listed below, please "bul | m | " your | level o | | | | | h usin | g a 10 | -point | scale: |
| How long have you had this pain? years For each of the symptoms listed below, please "bul | m | " your 10 1 | – the v | vorst p | | nagina 5 | ble 6 | 7 | g a 10 8 | -point 9 | scale: |
| How long have you had this pain? years For each of the symptoms listed below, please "bull 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) | me bble in pain 0 | " <i>your</i> 10 | - the v 2 O | orst p | pain in 4 O | nagina 5 O | ble 6 O | 7 O | 8 O | | |
| How long have you had this pain? years For each of the symptoms listed below, please "bull 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period | me bble in pain 0 | " your 10 | – the v | vorst p | oain in 4 | nagina 5 O | ble 6 | 7 | 8 | 9 | 10 |
| How long have you had this pain? years For each of the symptoms listed below, please "bul 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period | oble in pain O O O O O | " your 10 1 O | - the v 2 O | orst p | pain in 4 O | nagina 5 O | ble 6 O | 7 O | 8 O | 9 O | 10 O |
| How long have you had this pain? years For each of the symptoms listed below, please "but 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse | pble in pain O O O O O | " your 10 1 O O | - the v 2 0 0 | 3 O O | oain in 4 O O | 5 O O | 6 O O | 7 O O | 8 O O | 9 O O | 10 O O |
| How long have you had this pain? years For each of the symptoms listed below, please "but 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting | oble in pain O O O O | " your 10 1 O O | - the v 2 O O O | 3 O O O | oain in 4 O O O | 5 O O O | 6 O O | 7 O O O | 8 O O | 9 O O | 10 O O O |
| How long have you had this pain? years For each of the symptoms listed below, please "bull 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting Pelvic pain lasting hours or days after intercourse | oble in pain O O O O | " your 10 1 0 0 0 | - the v 2 0 0 0 0 0 | 3 O O O | oain in 4 O O O O | 5 O O O O | 6 O O O | 7 O O O | 8 O O O | 9 O O O | 10 O O O |
| How long have you had this pain? years For each of the symptoms listed below, please "but 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting Pelvic pain lasting hours or days after intercourse Pain when bladder is full | oble in pain O O O O O | " your 10 1 | - the v 2 0 0 0 0 0 0 | 3 O O O O | oain in 4 O O O O O | 5 O O O O O | 6 O O O O | 7 0 0 0 0 | 8 O O O O | 9 0 0 0 0 | 10 O O O O |
| How long have you had this pain? years For each of the symptoms listed below, please "but 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting Pelvic pain lasting hours or days after intercourse Pain when bladder is full Muscle / joint pain | oble in pain O O O O O O O O O O O O O O O O O O O | " your 10 1 | - the v 2 0 0 0 0 0 0 0 0 0 0 | 3 O O O O O O | 9 oain in 4 O O O O O O O O O O O | 5 O O O O O O O | 6 O O O O O O | 7 0 0 0 0 0 0 0 | 8 0 0 0 0 0 | 9 0 0 0 0 0 | 10 0 0 0 0 0 |
| How long have you had this pain? years For each of the symptoms listed below, please "bul 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting Pelvic pain lasting hours or days after intercourse Pain when bladder is full Muscle / joint pain Level of cramps with period | oble in pain O O O O O O O O O O O O O O O O O O O | " your 10 1 | - the v 2 0 0 0 0 0 0 0 0 0 0 0 0 | 3 O O O O O O O | 9 opain in 4 opain in 4 opain in 6 opain in | 5 0 0 0 0 0 0 0 | 6 O O O O O O | 7 0 0 0 0 0 0 0 | 8 0 0 0 0 0 0 0 | 9 0 0 0 0 0 0 0 | 10 0 0 0 0 0 0 0 0 |
| How long have you had this pain? years For each of the symptoms listed below, please "but 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting Pelvic pain lasting hours or days after intercourse Pain when bladder is full Muscle / joint pain Level of cramps with period Pain after period is over | oble in pain O O O O O O O O O O O O O O O O O O O | " your 10 1 | - the v 2 0 0 0 0 0 0 0 0 0 0 0 0 | 3 O O O O O O O O O | 9 o o o o o o o o o o o o o o o o o o o | 5 0 0 0 0 0 0 0 0 | 6 O O O O O O O O | 7 0 0 0 0 0 0 0 | 8 0 0 0 0 0 0 0 0 | 9 0 0 0 0 0 0 0 | 10 0 0 0 0 0 0 0 0 0 |
| How long have you had this pain? years For each of the symptoms listed below, please "but 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting Pelvic pain lasting hours or days after intercourse Pain when bladder is full Muscle / joint pain Level of cramps with period Pain after period is over Burning vaginal pain after sex | oble in pain O O O O O O O O O O O O O O O O O O O | " your 10 1 | - the v 2 0 0 0 0 0 0 0 0 0 0 0 0 | 3 O O O O O O O | 9 o o o o o o o o o o o o o o o o o o o | 5 0 0 0 0 0 0 0 0 | 6 O O O O O O O O | 7 0 0 0 0 0 0 0 | 8 0 0 0 0 0 0 0 | 9 0 0 0 0 0 0 0 0 | 10 0 0 0 0 0 0 0 0 0 0 |
| How long have you had this pain? years For each of the symptoms listed below, please "but 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting Pelvic pain lasting hours or days after intercourse Pain when bladder is full Muscle / joint pain Level of cramps with period Pain after period is over Burning vaginal pain after sex Pain with urination | oble in pain O O O O O O O O O O O O O O O O O O O | " your 10 1 | - the v 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 3 0 0 0 0 0 0 0 0 0 | 9 o o o o o o o o o o o o o o o o o o o | 5 0 0 0 0 0 0 0 0 0 | 6 O O O O O O O O O O | 7 0 0 0 0 0 0 0 0 0 | 8 0 0 0 0 0 0 0 0 0 | 9 0 0 0 0 0 0 0 0 | 10 0 0 0 0 0 0 0 0 0 0 |
| How long have you had this pain? years For each of the symptoms listed below, please "bul 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting Pelvic pain lasting hours or days after intercourse Pain when bladder is full Muscle / joint pain Level of cramps with period Pain after period is over Burning vaginal pain after sex Pain with urination Backache | oble in pain O O O O O O O O O O O O O O O O O O O | " your 10 1 | - the v 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 3 O O O O O O O O O O | 9 o o o o o o o o o o o o o o o o o o o | 5 0 0 0 0 0 0 0 0 | 6 O O O O O O O O | 7 0 0 0 0 0 0 0 0 0 | 8 0 0 0 0 0 0 0 0 0 | 9 0 0 0 0 0 0 0 0 | 10 0 0 0 0 0 0 0 0 0 0 0 |
| How long have you had this pain? years For each of the symptoms listed below, please "but 0 - no How would you rate your pain? Pain at ovulation (mid-cycle) Pain just before period Pain (not cramps) before period Deep pain with intercourse Pain in groin when lifting Pelvic pain lasting hours or days after intercourse Pain when bladder is full Muscle / joint pain Level of cramps with period Pain after period is over Burning vaginal pain after sex Pain with urination | oble in pain O O O O O O O O O O O O O O O O O O O | " your 10 1 | - the v 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 3 0 0 0 0 0 0 0 0 0 | 9 o o o o o o o o o o o o o o o o o o o | 5 0 0 0 0 0 0 0 0 0 | 6 O O O O O O O O O O | 7 0 0 0 0 0 0 0 0 0 | 8 0 0 0 0 0 0 0 0 0 | 9 0 0 0 0 0 0 0 0 | 10 0 0 0 0 0 0 0 0 0 0 |

| Information About Your Pain What types of treatments / provide | Please check all that apply. | |
|--|------------------------------|----------------------------|
| □ Acupuncture | ☐ Family Practitioner | □ Nutrition / diet |
| ☐ Anesthesiologist | ☐ Herbal Medicine | ☐ Physical Therapy |
| ☐ Anti-seizure medications | ☐ Homeopathic medicine | ☐ Psychotherapy |
| ☐ Antidepressants | ☐ Lupron, Synarel, Zoladex | ☐ Psychiatrist |
| ☐ Biofeedback | □ Massage | ☐ Rheumatologist |
| ☐ Botox injection | ☐ Meditation | ☐ Skin magnets |
| ☐ Contraceptive pills / patch / ring | □ Narcotics | |
| ☐ Danazol (Danocrine) | ☐ Naturopathic mediciation | ☐ TENS unit |
| □ Depo-provera | ☐ Nerve blocks | ☐ Trigger point injections |
| ☐ Gastroenterologist | □ Neurosurgeon | □ Urologist |
| ☐ Gynecologist | ☐ Nonprescription medicine | □ Other |

Pain Maps

Please shade areas of pain and write a number from 1 to 10 at the site(s) of pain. (10 = most severe pain imaginable)



| What 1 | ohysicians o | or health care | providers hav | e evaluated | or treated | you for | chronic p | pelvic pain? |
|--------|--------------|----------------|---------------|-------------|------------|---------|-----------|--------------|
| | | | | | | | | |

| Physician / Provider | Sp | ecialty | City, State, Phone | |
|---|---|--------------------------------|--------------------|--|
| | | | | |
| | | | | |
| | | | | |
| ☐ Single Who do you live with? Education: ☐ Less t☐ Colleg What type of work are you What type of work are you Surgical History | □ Widowed □ Separate □ Remarried □ Divorce than 12 years □ High Sc ge degree □ Postgrae trained for? doing? □ Use Postgrae | chool graduate duate degree | | |
| Please list all surgical proced | lures you have had related to | | | |
| Year Proceed | lure | Surgeon | Findings | |
| | | | | |
| Please list all other surgical | _ | | | |
| Year | Procedure | Year | Procedure | |
| | | | | |
| | | | | |
| Provider Comments | | | | |
| | | | | |

Medications

Please list **pain medication** you have taken for your pain condition in the past 6 months, and the providers who prescribed them (use a separate page if needed):

| Medication / dose | Provider | Did it help? |
|--|---|--|
| | | ☐ Yes ☐ No ☐ Currently taking |
| | | ☐ Yes ☐ No ☐ Currently taking |
| | | ☐ Yes ☐ No ☐ Currently taking |
| | | ☐ Yes ☐ No ☐ Currently taking |
| | | ☐ Yes ☐ No ☐ Currently taking |
| | | ☐ Yes ☐ No ☐ Currently taking |
| | | ☐ Yes ☐ No ☐ Currently taking |
| | | ☐ Yes ☐ No ☐ Currently taking |
| Please list all other medications you are pre- needed): | sently taking, the condition, an | d the provider who prescribed them (use a separate page if |
| Medication / dose | Provider | Medical Condition |
| intedication / dose | 11011461 | Medical Condition |
| | | |
| | | |
| | | |
| | | |
| | | |
| Where there any complications during pregna | ncy, labor, delivery, or post particle. C-Section Vacuum Forceps Medication yalgia Chronic pelvic pain sion Interstitial Cystitis | □ Post-partum hemorrhaging □ for bleeding □ Other □ Irritable bowel syndrome |
| Medical History Please list any medical problems / diagnoses Allergies (including latex allergy) Who is your primary care provider? Have you ever been hospitalized for anything | | □ No If yes, please explain |
| Have you had major accidents such as falls on Have you ever been treated for depression? | | No ☐ Medication ☐ Hospitalization ☐ Psychotherapy |
| 9 | • | ☐ Vaginal ring ☐ Depo provera ☐ Diaphragm ☐ Tubal Sterilization |

| Menstrual History How old were you when your menses started? Are you still having menstrual periods? □ Yes □ N | No No | | |
|---|---|---|---|
| Answer the following only if you are still having me Periods are: Light Moderate How many days between your periods? How many days of menstrual flow? Date of first day of last menstrual period | ☐ Heavy | | d through protection |
| Do you have any pain with your periods? ☐ Yes Does pain start the day flow starts? ☐ Yes Are periods regular? ☐ Yes Do you pass clots in menstrual flow? ☐ Yes | □ No □ No □ No □ No □ No | Pain starts | days before flow |
| | | | |
| Do you have vomiting? No With pain Tak Have you ever had an eating disorder such as anorexia or bu Are you experiencing rectal bleeding or blood in your stool? Do you have increased pain with bowel movements? The following questions help to diagnose irritable bowel synof pelvic pain. | ? | ☐ With eating ☐ With eating ☐ No ☐ No ☐ No ☐ No | ☐ Other☐ |
| Do you have pain or discomfort that is associated with the Change in frequency of bowel m Change in appearance of stool or bowel m Does your pain improve after completing a bowel m | novement □ Yes novement? □ Yes | □ No □ No □ No | |
| Health Habits How often do you exercise? | Yes \(\subseteq \text{No}\) Used in the past, but Barbiturates \(\subseteq \text{Well balanced}\) | t not now Prese Cocaine Other Vegan Vegan | □ 1-3 □ 4-6 □ >6 ently using □ No answer getarian □ Fried food |

| Urinary Symptoms | | | | | |
|---|----------|--------------|------------|----------|------------|
| Do you experience any of the following? | | | | | |
| Loss of urine when coughing, sneezing, or laughing | | | | | |
| Difficulty passing urin | | | | | |
| Frequent bladder infection | | | | | |
| Blood in the urin | | | | | |
| Still feeling full after urination | | | | | |
| Having to void again within minutes of voiding | g? 🗆 Yes | s □ No | | | |
| The following questions help to diagnose painful bladder syn Please circle the answer that best describes your bladder | | | | | |
| | 0 | 1 | 2 | 3 | 4 |
| How many times do you go to the bathroom DURING THE DAY (to void or empty your bladder)? | 3-6 | 7-10 | 11-14 | 15-19 | 20 or more |
| 2. How many times do you go to the bathroom AT NIGHT (to void or empty your bladder)? | 0 | 1 | 2 | 3 | 4 or more |
| 3. If you get up at night to void or empty your bladder does it bother you? | Never | Mildly | Moderately | Severely | |
| 4. Are you sexually active? ☐ Yes ☐ No | | | | | |
| 5. If you are sexually active, do you now or have you ever had pain or symptoms during or after sexual intercourse? | Never | Occasionally | Usually | Always | |
| 6. If you have pain with intercourse, does it make you avoid sexual intercourse? | Never | Occasionally | Usually | Always | |
| 7. Do you have pain associated with your bladder or in your pelvis (lower abdomen, labia, vagina, urethra, perineum)? | Never | Occasionally | Usually | Always | |
| 8. Do you have urgency after voiding? | Never | Occasionally | Usually | Always | |
| 9. If you have pain, is it usually | Never | Mild | Moderate | Severe | |
| 10. Does your pain bother you? | Never | Occasionally | Usually | Always | |
| 11. If you have urgency, is it usually | | Mild | Moderate | Severe | |
| 12. Does your urgency bother you? | Never | Occasionally | Usually | Always | |

| 9. If you have pain, is it usually | Never | Milia | Moderate | Severe | |
|---|-------|--------------|----------|--------|--|
| 10. Does your pain bother you? | Never | Occasionally | Usually | Always | |
| 11. If you have urgency, is it usually | | Mild | Moderate | Severe | |
| 12. Does your urgency bother you? | Never | Occasionally | Usually | Always | |
| © 2000 C. Lowell Parsons, MD Reprinted with permission. | 1 | | | l l | |
| KCl Not Indicated Positive Negative | | | | | |
| | | | | | |
| | | | | | |


| Coping Mechanisms | | | | | | | |
|---|-------------------------|-------------------|-----------------------------|-----------------|-------------------------|---------------------|---------------|
| Who are the people you talk to co | | _ | | | | | |
| ☐ Spouse / Partner | ☐ Relative | ☐ Support gi | | ☐ Clergy | | | |
| □ Doctor / Nurse | ☐ Friend | ☐ Mental He | alth provider | ☐ I take ca | are of myself | | |
| How does your partner deal with | your pain? | | | | | | |
| ☐ Doesn't notice when I | | ☐ Takes care | of me | ☐ Not appl | icable | | |
| ☐ Withdraws | 1 | ☐ Feels help | | 11 | | | |
| ☐ Distracts me with acti | ivities | ☐ Gets angry | | | | | |
| What halps your pain? | ☐ Meditation | □ D | elaxation | | Luina doum | □ Music | |
| What helps your pain? | □ Massage | | | | Lying down | ☐ Hot bath | |
| | ☐ Massage ☐ Pain medica | | | | Heating pad | | . |
| | | | axatives / Ene | | Injection | ☐ TENS un | 11 |
| | ☐ Bowel move | | mptying bladd | ier 🗆 | Nothing | | |
| | ☐ Other | | | | | | |
| What makes your pain worse? | ☐ Intercourse | \Box C | rgasm | | Stress | ☐ Full meal | |
| | ☐ Bowel move | ement \Box F | ull bladder | | Urination | ☐ Standing | |
| | □ Walking | \Box E | xercise | | Time of day | ☐ Weather | |
| | ☐ Contact with | clothing \Box C | oughing / snee | ezing \square | Not related to | anything | |
| | \square Other | C | | C | | , , | |
| Of all the problems or stresses or ☐ The most im | portant problem | | ust one of man | | 3 | | |
| Sexual and Physical Abuse Histo Have you ever been the victim of | | ? This can inclu | de being humi | iliated or in | sulted □ Yes | □ No □ No a | nswer |
| | | | | | As a ch | nild ∆sai | ı adult |
| Check an answer for both as a ch | uild and as an adul | t | | | (13 and you | | id ove |
| 1a. Has anyone ever exposed the | | | when you did n | not want it? | | - / | $s \square N$ |
| 1b. Has anyone ever threatened | | | | iot want it. | | | s \square N |
| 1c. Has anyone ever touched the | | | | t this? | □ Yes □] | | s \square N |
| 1d. Has anyone ever made you t | | | | | | | s \square N |
| 1e. Has anyone forced you to ha | | • | • | not want u | \square Yes \square | | s 🗆 N |
| | - | | | | □ Yes □ | | |
| 1f. Have you had any other unw If yes, please specify | anted sexual expe | riences not men | uoned above? | | ⊔ Yes ⊔. | NO □ re | s 🗆 N |
| 2. When you were a child (13 o | r vounger) did an | alder nerson da | the following | .9 | | | |
| 2. When you were a clina (13 0) | a. Hit, kick, o | | □ Never | ,: □ Seldoı | n □ Occasio | onally \square Of | en |
| | | hreaten your life | | | | 2 | |
| 3. Now that you are an adult (14 | | | | | | many 🗆 On | .011 |
| 5. Now that you are an addit (12 | a. Hit, kick, o | | lle ule followii □ Never | ıg≀ □ Seldoı | n □ Occasio | onally \square Of | en |
| | | hreaten your life | | | | • | |
| | o. Seriously t | meaten your III | i livever | - Seidol | | ліану 🗆 OH | CII |
| Leserman, J, Drossman D, Li Z. The gastrointestinal disorders. Behavior | | | nd physical abus | se history qu | estionnaire in f | emale patients v | vith |

| Short-Form McGill The words below describ that type of pain. Please | | | | nts the degree to which you | feel |
|---|------------------------|-------------------------|--------------|-----------------------------|------|
| What does your pain feel <i>Type</i> Throbbing | like? None (0) | Mild (1) | Moderate (2) | Severe (3) | |
| Throbbing Shooting | | | | | |
| Stabbing | | | | | |
| Sharp | | | | | |
| Cramping | | | | | |
| Gnawing | | | | | |
| Hot-Burning | | | | | |
| Aching | | | | | |
| Heavy | | | | | |
| Tender Splitting | | | | | |
| Tiring-Exhausting | | | | | |
| Sickening | | | | | |
| Fearful | | | | | |
| Punishing-Cruel | | | | | |
| Melzak R. The Short-form N | AcGill Pain Questionna | ire. Pain 1987;30:191-1 | 97. | | |
| | | | | | |
| Pelvic Varicosity Pain Sy Is your pelvic pair | · - | nged physical activity | ? □ Yes □ No | | |
| | | ve when you lie down | | | |
| 5 | | na or pelvis during sex | | | |
| | | ing or aching after sex | | | |
| | | oves from side to side | | | |
| Do you have sudden epis | | | | | |

Physical Examination – For Physician Use Only

| Name: | Chart Nu | mber: |
|--|----------------------------------|--|
| Date of Exam: | Height: Weight: | BMI: |
| BP: HR: Temp: | Resp: LMP: | |
| ROS, PFSH Reviewed: □ Yes □ No | Physician Signature: | |
| General Appearance: Well-appearing Normal weight | ☐ Ill-appearing ☐ Underweight | ☐ Tearful ☐ Depressed ☐ Overweight ☐ Abnormal Gait |
| NOTE: Mark "Not Examined" as N/E | | |
| HEENT □ WNL Lungs □ WNL □ Other □ Other □ | | |
| Right | Left | |
| □ Non-tender□ Tender□ Inguinal Tenderness□ Inguinal But | □ Rebound | ☐ Trigger Points ☐ Ovarian Point Tenderness ☐ Distention |
| Right Left Right Trigger Points | ht Left Surgical Scars | Right Left Other Findings |
| Back \Box Non-tender \Box Tender \Box \Box | Alteration in posture ☐ SI | joint rotation |
| Lower Extremities ☐ WNL ☐ Edema ☐ Y | Varicosities | ☐ Length Discrepancy |
| Neuropathy ☐ Iliohypogastric ☐ Ilioinguinal ☐ (| Genitofemoral □ Pudendal | ☐ Altered sensation |

Fibromyalgia / Back / Buttock




Left Right Right Left External Genitalia \square WNL ☐ Erythema □ Discharge ☐ Q-tip test (show on diagram) ☐ Tenderness (show on diagram) Right Left Right Left

Q-tip Test (score each circle 0-4) **Total Score** Other Findings

Vagina

 $\; \square \; WNL$ ☐ Wet prep:_ ☐ Vaginal mucosa ☐ Local tenderness ☐ Discharge Cultures: \Box GC ☐ Chlamydia □ Fungal ☐ Herpes

□ Vaginal Apex Tenderness (post hysterectomy – show on diagram)



Transverse apex closure

Vertical apex closure

© April 2008, The International Pelvic Pain Society

| Unimanual Exam | | | |
|-------------------------------------|-------------------------|-----------------|--|
| □ WNL | □ Cervix | | |
| □ Introitus | ☐ Cervical n | | |
| ☐ Uterine-cervical unction | □ Parametri | | |
| ☐ Urethra | □ Vaginal co | | |
| □ Bladder | □ Cul-de-sa | | |
| □ R ureter | □ L ureter | C | |
| □ R inguinal | ☐ L inguinal | 1 | |
| ☐ Muscle awareness | ☐ Clitoral te | | |
| □ Muscle awareness | □ Cilioral te | nuciness | |
| Rank muscle tenderness on 0-4 scale | | | |
| □ R obturator | □ L. obturato | or | |
| R piriformis | ☐ L ootarate | nis | |
| ☐ R pubococcygeus | | ccygeus | |
| ☐ Total pelvic floor score | □ L pubocod | ncter | |
| - Total pervie moof score | | | |
| Bimanual Exam | | | |
| Uterus: Tender | ☐ Non-tender | □ Absent | |
| Position: Anterior | □ Posterior | ☐ Midplane | |
| Size: | ☐ Other | - mapiane | |
| Contour: Regular | ☐ Irregular | □ Other | |
| | | | |
| Consistency: Firm | □ Soft | ☐ Hard | |
| Mobility: ☐ Mobile | ☐ Hypermobile | \square Fixed | |
| Support: Well supported | ☐ Prolapse | | |
| Adnexal Exam | | | |
| | Left: | | |
| Right: | | | |
| □ Absent | ☐ Absent | | |
| | | | |
| □ Tender | ☐ Tender | | |
| □ Fixed | □ Fixed | | |
| ☐ Enlarged cm | \Box Enlarged \Box | cm | |
| D / 1.15 | | | |
| Rectovaginal Exam | 1 | 7 | |
| □ WNL □ Node | | Guaiac positive | |
| \Box Tenderness \Box Muc | osal pathology \Box N | Not examined | |
| A | | | |
| Assessment: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Di di N | | | |
| Diagnostic Plan: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Therapeutic Plan: | | | |
| • | | | |
| | | | |
| | | | |